Premium #22837 Performance Tested W-S FESCUE MINERAL SUPPLEMENT

Control of bacterial pneumonia associated with shipping fever complex caused by Pasteurella spp. susceptible to chlortetracycline. Mineral supplement for beef cattle pasture from Jan. May fescue thru

MEDICATED

ACTIVE DRUG INGREDIENT

Chlortetracycline		5000 g/ton (2500mg/lb.)
	GUARANTEED ANALYSIS	S
Calcium (Ca),	Min.	10.00%
Calcium (Ca),	Max.	12.00%
Phosphorus (P),	Min.	7.00%
Salt (NaCl),	Min.	15.00%
Salt (NaCl),	Max.	18.00%
Magnesium (Mg),	Min.	9.00%
Potassium (K),	Min.	0.15%
Copper (Cu),	Max.	300 ppm
Selenium (Se),	Min.	6 ppm
Zinc (Zn),	Min.	50 ppm
Vitamin A,	Min.	80,000 IU/Ib

INGREDIENTS
Dicalcium Phosphate, Mono-Calcium Phosphate, Salt, Magnesium Oxide, Cane Molasses, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Sulfur, Potassium Sulfate, Magnesium Sulfate, Manganous Oxide, Zinc Oxide, Iron Sulfate, Copper Oxide, Cobalt Carbonate, Ethylene Diamine Dihydriodide, Corn Distillers Dried Grains with Solubles, and Sodium Selenite.

FEEDING DIRECTIONS All other minerals should be removed. Feed W-S Fescue Mineral from January until the end of May at

the following rates: Feed 2.25 ounces per head per day to beef cattle to provide 350 mg/head/day.

WARNING

A withdrawl period has not been established for this product in pre-ruminating calves. Do not use in calves to be precessed for veal. For feeds providing 350 mg chlortetracycline or more per head per day, discontinue use 48 hours before slaughter. Do not feed to lactating dairy cows.





Buchheit Premium Feeds 33 PCR 540 Perryville, MO 63775 1-800-622-7937 (573) 547-4569