

OUTLINE

What is a Veterinary Feed Directive (VFD)?

• What does a VFD do?

What information is required on a VFD?

How do VFD's impact feed orders?

Preparing for VFD's



Veterinary Feed Directive (VFD)

What it is...

"A written (non-verbal) statement issued by a licensed veterinarian in the course of the veterinarian's professional practice that orders the use of a VFD drug or combination VFD drug in or on an animal feed."

(Food and Drug Administration, 2005)



Veterinary Feed Directive (VFD)

- ✓ What it is....
- What it does....

"Authorizes the client (owner and or caretaker) to **obtain** and **use** animal feed bearing or containing a VFD drug or combination VFD drug to treat the clients animals only in accordance with the conditions for use approved by the Food and Drug Administration."

(Food and Drug Administration, 2005)



Veterinary Feed Directive (VFD)


- ✓ What it is....
- √ What it does....
- Intent of a VFD
 - Limit the use of "medically important" antimicrobial drugs used in food producing animals to those of:
 - Considered necessary for assuring animal health (Therapeutic use)
 - 2) Involve veterinary oversight and consultation



Example: VFD Drug's











Example: Non VFD Drug's



NOT A VFD Drug on January 1, 2017









Together we grow.

VETERINARY FEED DIRECTIVE for CATTLE WAKONDA PASTURE MINERAL (MEDICATED)

<u>sma</u>

<u>Use of Feed Containing This Veterinary Feed Directive (VFD) Drug In A Manner Other Than</u>
As Directed On The Labeling (Extra Label Use) Is Not Permitted

Approximate Number of Animals:	<u>50</u>
--------------------------------	-----------

Premises: New Farm A

Special Instructions: Feed 0.25 lbs per cow per day of WAKONDA PASTURE MINERAL

Affirmation of intent (for combination VFD Drugs):

This VFD only authorizes the use of the VFD drug(s) cited in this order and is not intended to authorize the use of such drug(s) in combination with any other animal drugs.

Affirmation of intent (for combination VFD Drugs):

"This VFD authorizes the use of the VFD drug(s) cited in this order.....

- (1) <u>and is not intended</u> to authorize the use of such drug(s) in combination with any other animal drugs."
- (2) <u>in the following FDA-approved</u>, conditionally approved, or indexed combination(s) in medicated feed that contains the VFD drug(s) as a component:
- (3) <u>in any FDA-approved</u>, conditionally approved, or indexed combination(s) in medicated feed that contains the VFD drug(s) as a component."

EXAMPLE: VFD Drug + Non-VFD Drug



VETERINARY FEED DIRECTIVE for CATTLE CUSTOM COMMODITY BLEND

Veterinarian: <u>DVM</u>	Client: Client A
Address: ABC CALL A VET ROAD	Address: 123 HERD BULL LANE
Perryville, MO 63775	Perryville, MO 63775
Phone: (573) 911-3333	Phone: (573) 111-2222
Fax or email (optional):	Fax or email (optional)
<pre>Drug(s) Name: _Chlortetracycline Drug(s) Level: _</pre> <pre>Species: Beef</pre>	1600 g/ton Duration of Use : 5 days
Production Class: Weaned calves	
Indications for use: Treatment of bacterial enteritis	caused by Escherichia coli and bacterial pneumonia
caused by Pasteurella multocida organisms suscept	ible to chlortetracycline.
Caution: (pertains to this medicated feed)	

Approximate	Number of	f Animals:	<u>50</u>	

Premises: Old Home Place

Special Instructions: Feed 5 lbs/hd/d of Custom Commodity Blend

Affirmation of intent (for combination VFD Drugs):

This VFD authorizes the use of the VFD drug(s) cited in this order in the following FDA-approved, conditionally approved, or indexed combination(s) in medicated feed that contains the VFD drug(s) as a component:

Drug(s)	Drug Level(s) and any Special Instructions
Lasalocid (Bovatec)	100 g/ton; feed 5 lbs/hd/d of medicated feed to provide 250 mg/hd/d lasalocid.

Approximate Number of Animals: 50 Premises: Special Instructions: Feed 0.25 lbs per cow per day of WAKONDA PASTURE MINERAL				
Affirmation of intent (for combination VFD Drugs):				
This VFD only authorizes the use of the VFD drug(s) cited in this order and is not intended to authorize the use of such drug(s) in combination with any other animal drugs.				
Withdrawal Time: This VFD Feed must be withdrawn0_ days prior to slaughter Number of reorders (refills) authorized:0_				
VFD Date of Issuance: <u>January 1, 2017</u> (Month/Day/Year) VFD Expiration Date: <u>June 30, 2017</u> (Month/Day/Year) *****Expiration Date cannot exceed 6 months after issuance Date*****				
Veterinarian's Signature:				
***** ALL PARTIES MUST RETAIN A COPY OF THIS VFD FOR 2 YEARS AFTER DATE OF ISSUANCE*****				
00000000001				

REVIEW: Feed Orders Requiring a VFD

Feed Order for Medicated Feed containing a VFD drug



NO Purchase or Distribution of medicated feed containing a VFD drug

Feed Order for Medicated Feed containing a VFD drug



NO Purchase or Distribution of medicated feed containing a VFD drug

Feed Order for Medicated Feed containing a VFD drug



Purchase & Distribution of medicated feed containing a VFD drug



VFD Drug Levels and Feed Orders

 Feed mill/nutritionist will provide assistance in determining an appropriate inclusion level of VFD drug(s) in medicated feed.



Intake Charts

WAKONDA PASTURE MINERAL (MEDICATED)

Bodyweight (lbs)	Target Chlortetracycline (mg/hd/d)	Individual (lbs/day)	25 cow herd (lbs/day)	50 head (lbs/day)	75 head (lbs/day)	100 head (lbs/day)
1,400	700	0.25	6.25	12.50	18.75	25.00

Indication of use: As an aid in the control of active infection of anaplasmosis caused by *Anaplasma marginale* susceptible to chlortetracycline.

CAUTION: Federal law limits this drug to use under the professional supervision of a licensed veterinarian. Animal Feed Bearing or containing this veterinary feed directive drug shall be fed to animals only by or upon a lawful veterinary feed directive issued by a licensed veterinarian in the course of the veterinarian's professional practice.

Intake Charts

4 Gram Aureomycin Crumbles

Bodyweight (lbs)	Target Chlortetracycline (mg/hd/day)	Individual (lbs/day)	10 head (lbs/day)	20 head (lbs/day)	30 head (lbs/day)	40 head (lbs/day)	50 head (lbs/day)
300	3000	0.75	7.50	15.00	22.50	30.00	37.50
400	4000	1.00	10.00	20.00	30.00	40.00	50.00
500	5000	1.25	12.50	25.00	37.50	50.0	62.50
600	6000	1.50	15.00	30.00	45.00	60.00	75.00
700	7000	1.75	17.50	35.00	52.50	70.00	87.50

Indication for use: Treatment of bacterial enteritis caused by Escherichia coli and bacterial pneumonia caused by *Pasteurella multocida* organisms susceptible to chlortetracycline

CAUTION: Federal law limits this drug to use under the professional supervision of a licensed veterinarian. Animal Feed Bearing or containing this veterinary feed directive drug shall be fed to animals only by or upon a lawful veterinary feed directive issued by a licensed veterinarian in the course of the veterinarian's professional practice.

Feed Tags & Labels



Performance Tested

WAKONDA PASTURE MINERAL

For beef cattle of all classes

MEDICATED

Control of anaplasmosis caused by Anaplasma marginale susceptible to chlortetracycline

ACTIVE DRUG INGREDIENT

Chlortetracycline		2.8 g/lbs
GUARA	ANTEED ANAL	YSIS
Crude Protein,	Min.	11.00%
Crude Fat,	Min.	3.20%
Crude Fiber,	Max.	7.60%
Calolum (Ca),	Min.	6.50%
Calolum (Ca),	Max.	7.76%
Phosphorus (P),	Min.	3.20%
Salt (NaCI),	Min.	19.60%
Salt (NaCI),	Max.	21.60%
Magnesium (Mg),	Min.	1.10%
Potaccium (K),	Min.	0.30%
Copper (Cu),	Max.	360 ppm
Selenium (Se),	Min.	8 ppm
Zino (Zn),	Min.	1605 ppm
Vitamin A,	Min.	160,000 IU/Ib
Vitamin D ₃ ,	Min.	16,000 IU/Ib
Vitamin E,	Min.	76 IU/Ib

Plant Protein Products, Salt, Dicalcium Phosphate, Magnesium Oxide, Potassium Chloride, Potassium Sulfate, Magnesium Sulfate, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Cobalt Carbonate, Copper Sulfate, Calcium Iodate, Ferrous Carbonate, Manganous Oxide, Sodium Selenite, Zinc Oxide, Sovbean Oil

INGREDIENTS

FEEDING DIRECTIONS

For beef cattle (under 700 lbc) feed 0.13 lbc of Wakonda Pacture Mineral to beef cattle concuming fecous forage to provide not less than or greater than 350 mg of Chiortetracycline per head per day.

For beef cattle (over 700 lbc) feed 0.25 lbs of Wakonda Pasture Mineral to beef cattle consuming frescue forage to provide not less than and not greater than 0.5 mg Chiortetracycline per lb body wt. per day.

Allow access to clean and fresh water at all times. To increase concumption move mineral closer to water source. To decrease intake move further away from water source.

A withdrawl period has not been established for this product in preruminating calves. Do not use in calves to be precessed for yeal. Discontinue use 48 hours before slaughter



Manufactured by Buchheit Premium Feeds 33 PCR 540 Perryville, MO 63776 1-800-822-7837 (673) 547-4589

NET WEIGHT 60# (22.7 Kg)

***** STARTING JANUARY 1, 2017 *****
THIS PRODUCT WILL REQUIRE A

Veterinary Feed Derective (VFD)

FOR PURCHASE
PREPARE YOUR HERD NOW!

Establish your veterinary patient/client relationship with your veterinarian NOW to prepare for VFD's



Feed Tags & Labels

CAUTION: Federal law limits this drug to use under the professional supervision of a licensed veterinarian. Animal Feed Bearing or containing this veterinary feed directive drug shall be fed to animals only by or upon a lawful veterinary feed directive issued by a licensed veterinarian in the course of the veterinarian's professional practice.



Preparing for VFD's

- Establish your Veterinary Patient Client Relationship (VCPR)
- Designate a location to store/file VFD's
 - 2 year minimum
- How to limit the need to obtain a VFD
 - Changes in production practices



BUCHHEIT'S is Prepared for VFD's

• Have been in communication with local veterinarian's

 Capable of receiving and managing VFD copies in electronic and hard copy form

Send invoice with VFD copy

- Submit VFD through website portal (in progress)
 - http://www.buchheitagri.com/



